

ASTM A53 Standardına göre Düz Dikişli (ERW) Çelik Boru Ölçü, Ağırlık ve Basınç Tablosu

ERW Steel Tubes Dimensions, Weight and Min. Test Pressure Table acc. ASTM A53 Standard

Ebat Size			Et Kalınlığı (mm) W.T. (mm)	Ağırlık (kg/m) Weight (kg/m)	Minumum Test Basıncı Min. Test Pressure	
DN	NPS	Dış Çap (mm) O.D. (mm)			Bar	
			Gr A	Gr B		
15	1/2"	21,3	2,77	1,27	48	48
20	3/4"	26,7	2,87	1,69	48	48
25	1"	33,4	3,38	2,50	48	48
32	1 1/4"	42,2	3,56	3,39	83	90
40	1 1/2"	48,3	3,68	4,05	83	90
50	2"	60,3	3,91	5,44	159	172
65	2 1/2"	73,0	5,16	8,63	172	172
80	3"	88,9	3,18	6,72	89	103
			3,96	8,29	110	129
			4,78	9,92	133	156
			5,49	11,29	153	172
			6,35	12,93	172	172
90	3 1/2"	101,6	3,18	7,72	77	90
			3,96	9,53	67	113
			4,78	11,41	117	136
			5,74	13,57	140	163
100	4"	114,3	6,35	14,92	172	172
			3,18	8,71	69	81
			3,96	10,78	87	101
			4,78	12,91	104	121
			5,56	14,91	122	142
125	5"	141,3	6,02	16,07	130	152
			6,35	16,90	138	161
			4,78	16,09	84	98
			5,56	18,61	98	115
			6,55	21,77	116	135
150	6"	168,3	4,78	19,27	70	82
			5,56	22,31	82	96
			6,35	25,36	94	109
			7,11	28,26	105	123
200	8"	219,1	7,92	31,32	117	137
			4,78	25,26	54	63
			5,16	27,22	59	69
			5,56	29,28	68	74
			6,25	33,31	72	84
250	10"	273,0	7,04	36,31	78	93
			7,92	41,24	90	105
			8,18	42,55	92	108
			8,74	45,34	99	116
			5,16	34,08	47	55
			5,56	36,67	50	59
			6,35	41,75	58	68
300	12"	323,8	7,09	46,49	64	75
			7,80	51,01	71	83
			8,74	56,96	79	92
			9,27	60,29	84	99
			5,16	40,55	39	46
			5,56	43,63	43	50
			6,35	49,71	49	57
300	12"	323,8	7,14	55,75	54	64
			7,92	61,69	61	71
			8,38	65,18	64	75
			8,74	67,90	67	78
			9,52	73,78	73	85
			10,31	79,70	79	92